



Portal > Knowledgebase > Functionality, Internals, and Docs > Functionality > Connection Management > [DNS setup for ScaleArc for MSSQL](#)

DNS setup for ScaleArc for MSSQL

Bobby Brown - 2014-07-16 - 0 Comments - in Connection Management



Question

What are the best practices regarding ScaleArc and internal DNS?

Answer

ScaleArc recommends that the internal DNS server be the primary dns server for ScaleArcs

use.

You set the DNS server during the initial configuration and it can be updated or changed at

any time from the Network Settings page.

There are additional changes that are recommended for ScaleArc for MSSQL

implimentations.

1) If you are using Windows Authentication you must create an A record and PTR record for the ScaleArc Server. See [Article #155 \(Add a Host \(A\) DNS Record Manually to a Windows](#)

[DNS Server](#)) for detailed instructions.

2) You should add the search domain to the ScaleArc configuration.

Go to Settings>Network Settings

Add the search domain into the Search Domain Field and click Apply



Permalink:
<https://support.scalearc.com/kb/articles/94>



Tags

best practices

dns

mssql

public kb

Related Pages



[Best Practices: Windows Authentication Security and ScaleArc](#)

[Add a Host \(A\) DNS Record Manually to a Windows DNS Server](#)

