



[Portal](#) > [Knowledgebase](#) > [Databases](#) > [MySQL](#) > [How to Clear/Reset replication in MySQL?](#)

How to Clear/Reset replication in MySQL?

Abhijit Dhumal - 2016-10-25 - 0 Comments - in MySQL



Release	Classification	Level	OS Platform	Category
MS02-034	How To		MS02	Configuration



OBJECTIVE

How to Clear/Reset replication in MySQL?

PROCEDURE

Sometimes it is required to Clear/Reset the existing MySQL Replication before setting up a new configuration.

This can be done using the following steps:

Issue STOP SLAVE on the Slave node.


Issue RESET SLAVE on the Slave and then verify that any unwanted data no longer exists on the slave.

Issue RESET MASTER on the Master node.

After verifying the setup and getting rid of any unwanted and log files generated, we can start the slave and begin the new configuration.


If you are experiencing issues with ScaleArc or with any of its features, please contact ScaleArc Support. We are available 24x7 by phone at 855 800 7225 or +1 408 412 7315.

For general support inquiries, you can also e-mail us at support@scalearc.com.



Copyright © 2014
ScaleArc, Inc. All
rights reserved.
ScaleArc
1000 S. Bascom
Ave. Suite 100
San Jose, CA 95128
USA
Phone: 415.754.1000
www.scalearc.com

Permalink:
<https://support.scalearc.com/kb/articles/3897>



Tags

Clear replication in MySQL

Clear/Reset replication

Clear/Reset replication in MySQL

Reset replication in MySQL

