





Portal > Knowledgebase > Frequently Asked Questions > How To: Configure Monitoring of ScaleArc using New Relic

How To: Configure Monitoring of ScaleArc using New Relic

Arun Sangameswaran - 2016-12-17 - 0 Comments - in Frequently Asked Questions

How To: Configure Monitoring of ScaleArc using New Relic?

Release	Classification	Level	OS Platform	Category
---------	----------------	-------	-------------	----------

ID	Name		Age	Status
				
				

QUESTION

Does ScaleArc support Installing New Relic Agents within ScaleArc host?

How can it be tried out?

ANSWER

Does ScaleArc support Installing New Relic Agents within ScaleArc host?

ScaleArc currently does not support New Relic agent installed on ScaleArc host. But

based on ScaleArc internal lab testing it appears that to monitor ScaleArc host using NewRelic requires PHP and Python agents to be installed on the host.

How can it be tried out?

Please refer to following links to install NewRelic agents on ScaleArc host. This is only intended for a Lower (Test) environment and Not recommend for ScaleArc PROD as it is not tested for any collateral yet.

Python Agent


PHP agent

If you are experiencing issues with ScaleArc or with any of its features, please contact ScaleArc Support. We are available 24x7 by phone at 855 800 7225 or +1 408 412 7315.

For general support inquiries, you can also e-mail us at support@scalearc.com.

Copyright ©2014
Catalytic, Inc. All rights
reserved. Catalytic
is a registered
trademark of Catalytic
Inc. 2014
Daly City, CA
94014
Email: info@catalytic.com

Permalink:
<https://support.scalearc.com/kb/articles/2972>



Tags

New Relic

newrelic support

